
## **Technical data sheet**

Cover frame AR45-BSF3, for accessory mounting box 71GD9-2, triple, with labelling panel for vertical device installation





Front locking cover frame for Modul 45 devices, triple, with labelling panel for vertical device installation, for locking in accessory mounting box 71GD9-2 or in mounting support 71MT3 45-2.

For installation in Rapid 80 device installation trunking and ISS service poles.

PC

Polycarbonate


## Master data

Item number	6119388	
Туре	AR45-BSF3 SWGR	
Description 1	Cover frame	
Description 2	for triple Modul 45	
Manufacturer	OBO	
Dimension	84x185mm	
Colour	Black-grey; RAL 7021	
Material	Polycarbonate	
Smallest sales unit	1	
Unit of quantity	Piece	
Weight	2.8 kg	
Weight unit	kg/100 pc.	
CO2 Footprint (GWP) Cradle-to- Gate	0,2124 kg CO2e / 1 Piece	

## **Technical data sheet**

Cover frame AR45-BSF3, for accessory mounting box 71GD9-2, triple, with labelling panel for vertical device installation





## **Technical data sheet**

Cover frame AR45-BSF3, for accessory mounting box 71GD9-2, triple, with labelling panel for vertical device installation

Depth Transparent

With mounting frame

Diameter opening



Technical data		
	Number of units	3
	Number of units, horizontal	0
	Anzahl der Einheiten vertikal	3
	Surface version	Matt
	Fastening type	Clamp fastening
	Suitable for built-in installations	yes
	Suitable for device installation ducts	yes
	Suitable for underfloor duct socket	no
	Suitable for flush-mounted installations	no
	Halogen-free	yes
	Hinged cover	no
	Mounting direction	Vertical
	Protection rating	Other
	Text field/inscription field	ves

8.5 mm

no

no

0